

CC West

2nd floor

Hall Europa



Hall Europa	
General data	
Area	960,00 m <sup>2</sup>
Lenght	31,49 m
Width	40,90 m/ 17,28 m
Height	7,04 m/ 8,43 m
Chair arrangements	
Theatre style	1062 people
Classroom	699 people
Banquet seating	550 people at round tables or 636 people at rectangular tables
Technical equipment	
Power connections	169 two-pin/three-wire sockets 230V (including 51 for audio) 1 CEE sockets 400V 3x125A 4 CEE sockets 400V 3x63A 7 CEE sockets 400V 3x32A (including 2 for audio) 2 CEE sockets 400V 3x16A for audio
Aerial connections	5 aerial sockets BK
Telecommunications	212 EDP network sockets
Video technology	
Screen	10,00 m x 7,20 m (8,10 m)
Projector	on request
Video connections	1 RGBHV line to the control room, can be tapped at 4 points
Video technology	1 scan converter Kramer VP-705SC with switcher
Lighting technology	
Hall light	10 circuits, 5 individually dimmable, 5 dimmable in groups
Stage light	10 Desisti 2KW Fresnel lenses 8 ETC Source Four Zoom (25°-50°)750W 2x MA 12 channel digital dimmer 2,3kW
Light control	1 Zero 88 Leap Frog
Decoration light	10 PAR 64 Floorspots 500W 4 LDR Rima A500 (floodlight)
Audio techology	
Audio techology	Public address system with conference microphone system 8 radio links with wireless microphones and various feed players with recording possibility
Audio connections	120 microphone connections (XLR) 10 chinch to the control room
Mixing desk	Soundcraft K2, 24 mono, 4 stereo inputs
Microphones	8 shure links UHF 8 handheld transmitters (SM 58, Beta 87) 8 pocket transmitters (8 Lavalier, 3 Headset) 2 Audio Technika Pro49 QL lectern microphones

Discussion installation	Televic Confedia DD, 19 + 1 speaking positions possible, others upon request
Feed players	Double cd player Denon DN-2600F Double tape deck Denon DN-770R MD player Denon DN-M2000R DVD player Denon DVD-1500
Sound processing	4 Rane SM 26B Audio Splitter 2 Rane AD 22d Delay 1 Phonic PEQ 3300 31 Band graphic EQ 2 Rane MA 60 2x31 band graphic EQ Sabine FBX 2020 feedback exterminator Sabine GRQ 3102 2x31 band graphic EQ, Feedback exterminator, compressor
Amplifiers	4 QSC PLX 1202, 5 QSC PLX 1602
Loudspeakers	10 Turbosound TCS-59, 8 Turbosound 15M, divided 1 row of monitors per 3 loudspeakers and 3 rows of sound reinforcement systems per 5 loudspeakers 6x AD System T-Sub 118
<b>Rigging</b>	
Rigging	35 suspension points each with a tensile load of 500 kg
<b>Miscellaneous</b>	
	All the halls in the Congress Center West are networked with audio and video technology. The sound can be transmitted from to hall Europa to all the areas of the Congress Center West. Additional technical equipment possibilities upon request.
<b>Further information</b>	
Lenght	Lenght of the hall in the centre: 31,49 m Lenght to the stage: 24,27 m Lenght from the control room to the wall: 31,90 m Lenght from the control room to the screen: 31,80 m
Height of the control room towards the stage	Top edge of the sail: 7,65 m/ 7,04 m/ 7,40 m/ 7,63 m/ 7,80 m Bottom edge of the sail: 7,04 m/ 7,40 m/ 7,63 m/ 7,80 m/ 8,43 m Minus 5 cm for sprinklers
Height to the lamps	Minus 40 cm
Stage	Stage size: 133,60 m <sup>2</sup> 0,80 m 16,00 m, back 17,80 m Stage hight: Stage width: front
From the stage to the bottom edge of the cross	6,84 m
Hight from the stage to the ceiling	6,97 m
From the hall floor to the bottom edge	7,64 m
Stage cross-beam	Hight from the stage: 6,84m Lenght: 16,00 m
Cross-beam in the hall	Hight from the floor 7,40 m Lenght 19,0 m
Emergancy exit	2,05 m x 2,09 m (W x H)
Entrance door to the hall	1,94 m x 2,09 m (W x H)
Door of the passenger lift	1,25 m x 2,10 m (W x H)

Internal demensions of the passenger lift	1,22 m x 1,73 m x 2,26 m (W x D x H)
Door of the goods lift	1,99 m x 2,09 m (W x H)
Internal demensions of the goods lift	3,00 m x 2,32 m x 2,19 m (W x D x H) with a maximum lifting capacity of 4,1 t.